

**From:** Perkins, Chaundra  
**Sent:** 16 June 2022 1:32 PM  
**To:** [j.scime@westlincoln.ca](mailto:j.scime@westlincoln.ca) <[j.scime@westlincoln.ca](mailto:j.scime@westlincoln.ca)>  
**Cc:** Rocket Fireworks <[sales@rocketfireworks.ca](mailto:sales@rocketfireworks.ca)>  
**Subject:** Fireworks application for August 20th

Good Afternoon Joanne

We are having an event on August 20<sup>th</sup> and Rocket Fireworks will be doing a fireworks display for us.

Our property address is: 2433 Port Davidson Road.

I understand we have to be on the agenda for the next meeting in order to get approval.

Please advise what other steps we need to take.

Thank you.

Chaundra Perkins



Rocket Fireworks Inc.

14 Advance Rd. Etobicoke, ON M8Z 2T4

Tel: 416-456-5057 | Email: [sales@rocket.ca](mailto:sales@rocket.ca) | Fax: 1-866-835-8371

**EVENT DESCRIPTION re 2433 Port Davidson Rd. Smithville, ON : AUGUST 20, 2022**

**Location, Date & Time of Display:**

(a) **Location:** Rocket Fireworks Inc. proposes to conduct a Fireworks Display at 2433 Port Davidson Rd. Smithville, ON L0R 2A0

(b) **Date & Time of Display:** The proposed Display shall commence at 10:00pm (+/- 30 minutes), with a duration not to exceed 5 (five) minutes.

**Expected Attendance:** 200 persons,

**Shooters:** The Licensed Display Supervisor shall be Tom Jacobs or Jim Ward with Rober Schute (Display Assistant) acting as the designated Fire Watch person



**Security & Emergency Planning:**

- \* As per the attached Site Plan, the Firing Stage & Fallout Zone are within a secured area on private property. Distance to Spectators (70 m) and Fallout Area (60 m) exceed ERD required distances for the articles to be utilized during the Display.
- \* The Display Supervisor shall be in contact via 2-Way radio with the Display Assistant/Fire Watch to monitor the direction of fallout and ensure the safe proceeding of the Display.
- \* The appointed Fire Watch person shall be in radio or cell phone contact with Chaundra Perkins (Event Organizer) in the event of any concerns to persons or property before, during or after the Display.
- \* The Shooter will have a full view of the Firing Area/Fallout Zone.
- \* The Firing Area & Fallout Zone will be barricaded (see accompanying Site Map) such that unauthorized

persons shall be barred from entry.

- \* The Rocket Fireworks crew shall hold a Safety Meeting during set-up and also just prior to the Display to review signals, chain of command, communication protocols, emergency procedures, location of First Aid Kit, etc.

- \* In case of fire, 3 (three) 20-Lb pressurized water Extinguishers will be on hand (see accompanying Site Map for details).

- \* In case of an injury or emergency on Site, Rocket staff or Chaundra Perkins will contact Emergency Services. Emergency contacts include The Township of Lincoln Fire/Emergency Services (911) and CANUTEC.

- \* Emergency Vehicles can gain immediate access the site by way of the entrance to the property on Port Davidson Rd.

#### **FIRE SUPPRESSION & SAFETY MEASURES:**

- \* 3 (three) Pressurized Water-Based 20-lb Extinguishers will be onsite

- \* Angle of firing can be modified to account for winds

- \* Display Assistant will be on Fire Watch

- \* Paper or Foil tops will be removed from all articles prior to firing in order to minimize debris

- \* The Site will be thoroughly inspected and cleaned subsequent to the Display

#### **Notifications:**

- \* NAVCAN shall be notified 24 hours in advance of the event

- \* Local Police shall be sent informed of the proceedings on the day of the event.

#### **Maximum Height of Effects and Safety Distances (refer to accompanying 'List of Articles' for details):**

- \* The majority of the articles shall be Consumer Type F.1 Fireworks

- \* The maximum height of effects will be 60 meters (Type F.2 50mm Display Cakes)

- \* We are exceeding NRCAN's recommended safety distances for the F.2 articles to be used during this Display (see accompanying Site Map and List of Articles)

#### **Display Duration:**

- \* The total duration of this Display shall is estimated at 4-5 minutes and shall not exceed 5.5 minutes.

#### **Sequencing:**

- \* Display shall consist of Consumer Fireworks (F.1) Cakes, fired singly and in pairs, followed by a finale of Type F.2 Display Cakes.

#### **Method of Firing:**

- \* The Display shall be fired with a Cobra Professional Firing System. Each article will be wired separately so that the Shooter will have maximum control of the Display and can cease firing at any moment should any safety concerns arise.

#### **Indemnification & Liability Coverage:**

- \* Rocket Fireworks Inc. has provided Certificates of Insurance naming The Township and also the property owner as 'Additionally Insured' in the amount of \$5-Million.

Item Code/Name (as per NRCAN Authorized List of Explosives)	Common Name	QTY	Item Type	UN #	UN Class	Hazard Category
--	-------------	-----	-----------	------	----------	-----------------

## TYPE - F.1 (Consumer Fireworks)

IMPORTER: BEM Fireworks - Coteau Du Lac, Québec

BEM-1104D-100SC-P - Perseids	100-Shot Perseids	2	Cake	0336	1.4G	4
35 Shots Z And Fan Raid	Z-Fan Raid	2	Cake	0336	1.4G	4
BEM-46 - Brocade Crown	Brocade Crown	3	Cake	0336	1.4G	4
BEM-44 - Fiesta	Fiesta	2	Cake	0336	1.4G	4
BEM-45 - Gold Palm	Gold Palm	4	Cake	0336	1.4G	4

IMPORTER: Competition Fireworks Ltd. - Abbotsford, British Columbia

99887	Double Trouble	1	Cake	0336	1.4G	4
-------	----------------	---	------	------	------	---

IMPORTER: Royal Pyrotechnie Inc. - St-Pie, Québec

DFC-1201 -	DFC-1201	2	Cake	0336	1.4G	4
DFC-1202 -	DFC-1202	2	Cake	0336	1.4G	4



IMPORTER: BDH Pyro Ltd. - Kitchener, Ontario



SRD-914	Crazy Cyclone	1	Cake	0336	1.4G	4
SRD-911	Komodo	2	Cake	0336	1.4G	4
SRD-915	Maximum Load	1	Cake	0336	1.4G	4

## TYPE - F.2 (Display Fireworks)

IMPORTER: Mystical Distributing Company Ltd. - Abbotsford, British Columbia

66002	Gold Stone	1	45mm Cake	0335	1.3G	3
25C45M01-20	Cranium ShriII	1	45 mm Cake	0335	1.3G	3
25C45M01-52	Salute Cake	1	45mm Cake	0335	1.3G	3

Fireworks Operator Certificate Certificat d'utilisateur de pièces pyrotechniques			
<b>Display Supervisor/Endorsements</b> <b>Artificier/Mentions</b>			
Jim Ward			
Certification and safe practices of the Display Fireworks Manual are conditions pursuant to the Explosives Act (S.7).	La certification et les normes de sécurité du Manuel de l'artificier sont des conditions aux termes de la Loi sur les explosifs (S.7).		
			
Rachel Robbins Senior Inspector of Explosives Inspecteur principal des explosifs	Jul 31, 2025	Expiry / Expire	

Natural Resources Canada / Ressources naturelles Canada		P003130	
Fireworks Operator Certificate Certificat d'utilisateur de pièces pyrotechniques			
<b>Special Effects Pyrotechnician</b> <b>Pyrotechnicien des effets spéciaux</b>			
Jim Ward			
Certification and safe practices of the Pyrotechnic Special Effects Manual are conditions pursuant to the Explosives Act (S.7).	La certification et les normes de sécurité du Manuel des effets spéciaux sont des conditions aux termes de la Loi sur les explosifs (S.7).		
			
Rachel Robbins Senior Inspector of Explosives	Jul 31, 2025		

Natural Resources Canada / Ressources naturelles Canada		D039427	
Fireworks Operator Certificate Certificat d'utilisateur de pièces pyrotechniques			
<b>Display Supervisor/Endorsements</b> <b>Artificier/Mentions</b>			
Thomas Jacobs			
Certification and safe practices of the Display Fireworks Manual are conditions pursuant to the Explosives Act (S.7).	La certification et les normes de sécurité du Manuel de l'artificier sont des conditions aux termes de la Loi sur les explosifs (S.7).		
			
Rachel Robbins Senior Inspector of Explosives Inspecteur principal des explosifs	Oct 31, 2025	Expiry / Expire	

<b>Display Supervisor/Endorsements</b> <b>Artificier/mentions</b>	
The holder of this certificate is authorized to set up and fire Fireworks Displays in accordance with the principles set out in the Display Fireworks Manual.	Le détenteur de ce certificat est autorisé à monter et à faire la mise à feu de feux d'artifice selon les dispositions décrites dans le Manuel de l'artificier.
Floating Platform/Plateforme flottante Rooftop/Toit	
	
Signature	


Natural Resources Canada / Ressources naturelles Canada		D040747	
Fireworks Operator Certificate Certificat d'utilisateur de pièces pyrotechniques			
<b>Display Supervisor/Endorsements</b> <b>Artificier/Mentions</b>			
Brandon Walters			
Certification and safe practices of the Display Fireworks Manual are conditions pursuant to the Explosives Act (S.7).	La certification et les normes de sécurité du Manuel de l'artificier sont des conditions aux termes de la Loi sur les explosifs (S.7).		
			
Rachel Robbins Senior Inspector of Explosives Inspecteur principal des explosifs	2026-11-30	Expiry / Expire	




2433 Port Davidson Rd. Smithville, ON


PROPERTY BOUNDARY




 = BARRICADES (no spectators, mototized vehicles or occupied building within perimeter zone)

 = Firing Stage (70 m to Spectators)

 = location of Fire Extinguishers (3)

 = location of Operator

 = location of First Aid Kit



3D



+

-







# CERTIFICATE OF LIABILITY INSURANCE

This certificate is issued as a matter of information only and confers no rights upon the certificate holder and imposes no liability on the insurer.  
This certificate does not amend, extend or alter the coverage afforded by the policies below.

1. CERTIFICATE HOLDER - NAME AND MAILING ADDRESS			2. INSURED'S FULL NAME AND MAILING ADDRESS		
The Corporation of the Township of West Lincoln			Rocket Fireworks Inc.		
318 Canborough St			14 Advance Road		
Smithville ON			Etobicoke ON		
POSTAL CODE L0R 2A0			POSTAL CODE M8Z 2T4		

**3. DESCRIPTION OF OPERATIONS/LOCATIONS/AUTOMOBILES/SPECIAL ITEMS TO WHICH THIS CERTIFICATE APPLIES** (but only with respect to the operations of the Named Insured)

Wholesale, Retail, and Display of Fireworks & Sale of Novelties. Excess Liability Operates on a Follow Form Basis.  
Professional Fireworks Display at 2433 Port Davidson Road. on August 20, 2022.  
The Corporation of the Township of West Lincoln and Chaundra Perkins is/are added as an Additional Insured to the Commercial General Liability policy but only with respect to liability arising solely out of the operations of the Named Insured. The policy limits are not increased by the addition of such Additional Insured and remain as stated in this Certificate.

**4. COVERAGES**

This is to certify that the policies of insurance listed below have been issued to the insured named above for the policy period indicated notwithstanding any requirements, terms or conditions of any contract or other document with respect to which this certificate may be issued or may pertain. The insurance afforded by the policies described herein is subject to all terms, exclusions and conditions of such policies.

**LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS**

TYPE OF INSURANCE	INSURANCE COMPANY AND POLICY NUMBER	EFFECTIVE DATE YYYY/MM/DD	EXPIRY DATE YYYY/MM/DD	LIMITS OF LIABILITY (Canadian dollars unless indicated otherwise)		
				COVERAGE	DED.	AMOUNT OF INSURANCE
<b>COMMERCIAL GENERAL LIABILITY</b>  <input type="checkbox"/> CLAIMS MADE <b>OR</b> <input checked="" type="checkbox"/> OCCURRENCE <input checked="" type="checkbox"/> PRODUCTS AND / OR COMPLETED OPERATIONS <input checked="" type="checkbox"/> EMPLOYER'S LIABILITY <input checked="" type="checkbox"/> CROSS LIABILITY  <input type="checkbox"/> WAIVER OF SUBROGATION  <input checked="" type="checkbox"/> TENANTS LEGAL LIABILITY <input type="checkbox"/> POLLUTION LIABILITY EXTENSION <input type="checkbox"/>	Certain U/W of Lloyds thru Totten Ins. PRLFP22-0029	2022/04/14	2023/04/14	COMMERCIAL GENERAL LIABILITY BODILY INJURY AND PROPERTY DAMAGE LIABILITY - GENERAL AGGREGATE		\$2,000,000
				- EACH OCCURRENCE		\$2,000,000
				PRODUCTS AND COMPLETED OPERATIONS AGGREGATE		\$2,000,000
				<input type="checkbox"/> PERSONAL INJURY LIABILITY OR <input checked="" type="checkbox"/> PERSONAL AND ADVERTISING INJURY LIABILITY		\$2,000,000
				MEDICAL PAYMENTS		
				TENANTS LEGAL LIABILITY		\$500,000
				POLLUTION LIABILITY EXTENSION		
<input checked="" type="checkbox"/> NON-OWNED AUTOMOBILES <input checked="" type="checkbox"/> HIRED AUTOMOBILES	Certain U/W of Lloyds thru Totten Ins. PRLFP22-0029	2022/04/14	2023/04/14	NON-OWNED AUTOMOBILES		\$2,000,000
				HIRED AUTOMOBILES		\$75,000
<b>AUTOMOBILE LIABILITY</b>  <input type="checkbox"/> DESCRIBED AUTOMOBILES <input type="checkbox"/> ALL OWNED AUTOMOBILES <input type="checkbox"/> LEASED AUTOMOBILES ** ** ALL AUTOMOBILES LEASED IN EXCESS OF 30 DAYS WHERE THE INSURED IS REQUIRED TO PROVIDE INSURANCE				BODILY INJURY AND PROPERTY DAMAGE COMBINED		
				BODILY INJURY (PER PERSON)		
				BODILY INJURY (PER ACCIDENT)		
				PROPERTY DAMAGE		
<b>EXCESS LIABILITY</b>  <input type="checkbox"/> UMBRELLA FORM <input checked="" type="checkbox"/> EXCESS	Unique Risks PRLEX22-0029	2022/04/14	2023/04/14	EACH OCCURRENCE		\$3,000,000
				AGGREGATE		\$3,000,000
				NON-OWNED AUTO		\$3,000,000
<b>OTHER LIABILITY (SPECIFY)</b> <input type="checkbox"/>						
<input type="checkbox"/>						

**5. CANCELLATION**

Should any of the above described policies be cancelled before the expiration date thereof, the issuing company will endeavor to mail 30 days written notice to the certificate holder named above, but failure to mail such notice shall impose no obligation or liability of any kind upon the company, its agents or representatives.

6. BROKERAGE/AGENCY FULL NAME AND MAILING ADDRESS			7. ADDITIONAL INSURED NAME AND MAILING ADDRESS (Commercial General Liability- but only with respect to the operations of the Named Insured)		
Purves Redmond Limited			For Additional Insured(s) Refer To Description Box.		
70 University Avenue					
Toronto ON					
POSTAL CODE M5J 2M4					
BROKER CLIENT ID: ROCKFIR-01					
			POSTAL CODE		

**8. CERTIFICATE AUTHORIZATION**

ISSUER Purves Redmond Limited		CONTACT NUMBER(S)			
		TYPE Phone	NO. 416-644-4033	TYPE	NO.
AUTHORIZED REPRESENTATIVE Terri Phomsouvanh		TYPE Fax	NO. 866-570-6922	TYPE	NO.
SIGNATURE OF AUTHORIZED REPRESENTATIVE		DATE 2022/06/21		EMAIL ADDRESS bkushnier@purvesredmond.com	

Morning Tom  
Thanks for all the attached documents

Joanne :  
Fire services have reviewed all the documentation and has no concerns and approves the Fireworks application  
Any questions contact me  
Dennis



**From:** Rocket Fireworks [<mailto:sales@rocketfireworks.ca>]  
**Sent:** June 22, 2022 7:43 AM  
**To:** Perkins, Chaundra Joanne Scime <[jscime@westlincoln.ca](mailto:jscime@westlincoln.ca)>; Dennis Fisher <[dfisher@westlincoln.ca](mailto:dfisher@westlincoln.ca)>  
**Subject:** Re: Fireworks application for August 20th

Good morning, all:

Please see attached documents re Aug 20th:

- \* Event Description
- \* Site Plan
- \* List of Articles
- \* Certificate of Insurance (\$5-Million)

If you have any additional questions, please contact me directly  
Thank you very much

Regards,

Tom Jacobs

Rocket Fireworks Inc.  
Office Tel: 416-456-5057  
Web: [www.rocket.ca](http://www.rocket.ca)