
APPENDIX A

LUMASPORT 8
Light Fixtures & Visor

Project	Catalog #	Туре
Prepared by	Notes	Date



P Interactive Menu

- · Dimensional Details page 1
- · Ordering Information page 2
- Dimensional and Mounting Details page 3
- Visor (VHE) Configuration page 4
- · Performance Data page 5
- Optical Performance Data page 6
- Ordering Information for Accessories page 8
- Accessory Dimensions and Part Details page 9
- Example System Topology page 12

Ephesus

LUMASPORT 8

White LED Sports & Entertainment Luminaire

Typical Applications

Pro Arenas • University & Collegiate Arenas • University & Collegiate Stadiums • Multi-Event & Convention Centers • Gymnasiums & Field Houses

Product Certification












Top Product Features

- · 55,000 or 90,000 lumen output options
- · Glare and cutoff control via Hybrid Reflector and TIR Optical System
- · Reduce install time with pre-aimable two-piece assembly
- · Virtually eliminate maintenance with power redundancy
- Industry leading light source reliability with Chip-on-Board LEDs
- · Greater than 92% lumen maintenance at 55,000 hours
- Wireless AirMesh, Wired DMX or sACN controls options to suit your needs
- Impact Resistant Glass option protects from vandalization and prevents down time in the event of impact to the glass.
- · Options to meet Trade Agreements Act requirements


LIGHT HEAD B 12.27in [311.658mm] PROFILE B BOTTOM







Dimensional and Mounting Details

MOUNTING: DRIVER BOX




MOUNTING CONFIGURATION: LOCAL YOKE









MOUNTING CONFIGURATION: LOCAL PENDANT




LEFT PROFILE



VHE & VIR Visor Option Dimensional Details



LEFT PROFILE: VISOR



TOP: VISOR

NOTES:

The addition of a visor adds 1lb of material to the luminaire weight.